**U.S. Department of the Interior**
**U.S. Geological Survey**

# Topography and Sedimentation Characteristics of the Squaw Creek National Wildlife Refuge, Holt County, Missouri, 1937–2002

By David C. Heimann and Joseph M. Richards

Water-Resources Investigations Report 03–4211

Prepared in cooperation with the
U.S. Fish and Wildlife Service

Rolla, Missouri
2003

U.S. DEPARTMENT OF THE INTERIOR

GALE A. NORTON, Secretary

U.S. GEOLOGICAL SURVEY

CHARLES G. GROAT, Director

The use of firm, trade, and brand names in this report is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey.

---

For additional information write to:

**District Chief**
**U.S. Geological Survey, WRD**
**1400 Independence Road**
**Mail Stop 100**
**Rolla, Missouri 65401**

Copies of this report can be purchased from:

**U.S. Geological Survey**
**Information Services**
**Box 25286, Building 810**
**Denver Federal Center**
**Denver, CO 80225-0286**

# CONTENTS

Abstract ..... 1
Introduction ..... 2
Purpose and Scope ..... 2
Description of Study Area ..... 2
Acknowledgments ..... 4
Methods ..... 4
Topography ..... 4
Sedimentation Characteristics ..... 6
Soil Bulk Density and Mass ..... 6
Sediment Loads ..... 6
Topography and Sedimentation Characteristics ..... 10
Topography ..... 10
Sedimentation Characteristics ..... 10
Sediment Deposition, 1937 to 1964 ..... 15
Sediment Deposition, 1964 to 2002 ..... 16
Sediment Deposition, 1937 to 2002 ..... 21
Sediment Volume and Mass ..... 21
Pool Elevation-Area and Elevation-Capacity Data ..... 22
Squaw Creek and Davis Creek Sediment Loads ..... 22
Summary and Conclusions ..... 31
References Cited ..... 32

## FIGURES


1.– 8. Maps showing:

1. Location of study area ..... 3
2. Comparison of current (2003) and original pool names in the Squaw Creek National Wildlife Refuge and the 2002 surveyed area ..... 7
3. Squaw Creek National Wildlife Refuge topography, 1937 ..... 11
4. Squaw Creek National Wildlife Refuge topography, 1964 ..... 12
5. Squaw Creek National Wildlife Refuge topography, 2002 ..... 13
6. Squaw Creek National Wildlife Refuge differential sediment thickness, 1937 to 1964 ..... 17
7. Squaw Creek National Wildlife Refuge differential sediment thickness, 1964 to 2002 ..... 19
8. Squaw Creek National Wildlife Refuge differential sediment thickness, 1937 to 2002 ..... 23

9.–12. Graphs showing:

9. Elevation-area and elevation-capacity data for Mallard North and Mallard South at the Squaw Creek National Wildlife Refuge ..... 28
10. Elevation-area and elevation-capacity data for North pool at the Squaw Creek National Wildlife Refuge ..... 29
11. Elevation-area and elevation-capacity data for Snowgoose, Northeast Main, Northwest Main, Cattail Complex/Moist Soil Units, Eagle North, Eagle South, and Pelican pools at the Squaw Creek National Wildlife Refuge ..... 30
12. Mean annual flow at Big Nemaha River at Falls City, Nebraska (streamflow gaging station 06815000), 1944 to 2002 ..... 30


## TABLES


1. Survey bench marks used in 2002 sedimentation survey at Squaw Creek National Wildlife Refuge ..... 5
2. Summary of Squaw Creek National Wildlife Refuge pool volume, mass, area, and mean sediment deposition ..... 8
3. Squaw Creek National Wildlife Refuge soil sample characteristics ..... 25
4. Elevation/stage-area, elevation/stage-capacity, and elevation/stage-depth relations for selected Squaw Creek National Wildlife Refuge pools ..... 35


## HORIZONTAL DATUM

Horizontal coordinate information is referenced to the North American Datum of 1983 (NAD 83). NAD 83 can be converted to the North American Datum of 1927 (NAD 27) by using the National Geodetic Survey conversion utility available at URL **http://www.ngs.noaa.gov/TOOLS/Nadcon/Nadcon.html**.

## VERTICAL DATUM

Vertical coordinate information is referenced to the North American Vertical Datum of 1988 (NAVD 88) unless otherwise specified. **Elevation,** as used in this report, refers to distance above or below NAVD 88. NAVD 88 can be converted to the National Geodetic Vertical Datum of 1929 (NGVD 29) by using the National Geodetic Survey conversion utility available at URL **http://www.ngs.noaa.gov/TOOLS/Vertcon/vertcon.html**.