06934500 MISSOURI RIVER AT HERMANN, MO--Continued
(National stream-quality accounting network station)

WATER-QUALITY RECORDS

PERIOD OF RECORD.--July 1969 to current year.

PERIOD OF DAILY RECORD.--
SPECIFIC CONDUCTANCE: October 1974 to September 1996.
WATER TEMPERATURE: October 1974 to September 1996.
DISSOLVED OXYGEN: June 1984 to September 1984, April 1985 to September 1985, April 1986 to September 1986.

INSTRUMENTATION.--Water-quality monitor, June 1984 to September 1984, April 1985 to September 1985, April 1986 to September 1986.

EXTREMES FOR PERIOD OF DAILY RECORD.--
SPECIFIC CONDUCTANCE: (water years 1976 to 1996): Maximum daily, 2,150 microsiemens per centimeter, Dec. 9, 1978; minimum daily, 205 microsiemens per centimeter, Apr. 16, 1979.
WATER TEMPERATURE: (water years 1976 to 1996): Maximum daily, 32.5°C, July 31, 1987; minimum daily, 0.0°C on many days during winter period.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	TIME	DIS-CHARGE, INST. CUBIC FEET PER SECOND (00061)	TEMPER-ATURE WATER (DEG C) (00010)	SPE-CIFIC CON-DUCT-ANCE (µS/cm) (00095)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400)	TUR-BID-ITY (NTU) (00076)	OXYGEN, DIS-SOLVED (mg/L) (00300)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (00301)	COLI-FORM, FECAL, 0.7 µM-MF (COLS./ 100 mL) (31625)	STREP-TOCOCCI FECAL, KF AGAR (COLS. PER 100 mL) (31673)	E.COLI WATER WHOLE TOTAL UREASE (COL / 100 mL) (31633)	ALKA-LINITY WAT DIS FIX END FIELD $CaCO_3$ (mg/L) (39036)
OCT												
15...	1235	98600	18.0	758	8.10	27	8.6	90	1200	46	590	140
DEC												
02...	1245	119000	6.5	753	7.97	29	11.6	92	K1200	3400	6500	160
JAN												
21...	1120	73400	2.8	634	7.94	15	14.5	106	560	180	78	170
FEB												
10...	1220	63600	3.8	380	8.12	77	12.9	96	720	1500	680	150
MAR												
16...	1150	104000	3.1	530	7.74	45	12.5	91	5100	800	1300	140
APR												
01...	1205	224000	11.4	436	7.95	200	9.1	82	4200	1700	2100	120
20...	1210	160000	12.8	501	7.70	85	9.3	86	K950	220	M500	150
MAY												
04...	1150	149000	13.6	416	7.86	69	9.0	86	1100	440	420	150
18...	1100	85000	21.4	682	8.14	16	9.0	100	70	16	K35	170
27...	1040	115000	22.6	678	7.78	130	7.1	81	900	440	780	150
JUN												
01...	1125	86400	23.0	658	7.91	140	7.8	90	520	K150	K270	160
16...	1030	164000	21.3	457	7.82	380	5.1	57	5000	8000	3900	120
24...	1155	224000	23.3	385	7.78	250	5.3	61	1100	460	800	110
JUL												
07...	1110	159000	26.5	456	7.77	240	6.3	79	2200	2200	13000	120
AUG												
31...	1205	86800	27.6	570	7.91	85	6.6	84	910	520	640	140

DATE	ALKA-LINITY WAT DIS TOT IT FIELD (mg/L as $CaCO_3$) (39086)	BICAR-BONATE WATER DIS IT FIELD (mg/L as HCO_3) (00453)	CAR-BONATE WATER DIS IT FIELD (mg/L as CO_3) (00452)	NITRO-GEN, TOTAL (mg/L as N) (00600)	NITRO-GEN DIS-SOLVED (mg/L as N) (00602)	NITRO-GEN, ORGANIC TOTAL (mg/L as N) (00605)	NITRO-GEN, ORGANIC DIS-SOLVED (mg/L as N) (00607)	NITRO-GEN, AMMONIA DIS-SOLVED (mg/L as N) (00608)	NITRO-GEN, NITRITE DIS-SOLVED (mg/L as N) (00613)	NITRO-GEN, NITRATE DIS-SOLVED (mg/L as N) (00618)	NITRO-GEN,AM-MONIA + ORGANIC DIS. (mg/L as N) (00623)	NITRO-GEN,AM-MONIA + ORGANIC TOTAL (mg/L as N) (00625)
OCT												
15...	138	168	0	1.0	--	--	--	<0.020	<0.010	--	<0.10	0.58
DEC												
02...	165	202	0	1.1	1.1	--	--	<0.020	0.027	0.841	0.25	0.27
JAN												
21...	166	203	0	1.6	1.4	0.40	0.25	0.053	0.015	1.13	0.30	0.45
FEB												
10...	155	189	0	2.8	1.8	1.3	0.34	0.080	0.014	1.40	0.42	1.4
MAR												
16...	143	175	0	2.0	1.6	0.66	0.31	0.030	0.024	1.26	0.34	0.69
APR												
01...	123	150	0	3.7	2.1	2.0	0.33	0.063	0.034	1.63	0.39	2.0
20...	152	185	0	3.2	2.4	1.2	0.35	0.026	0.036	1.98	0.38	1.2
MAY												
04...	147	183	0	2.5	2.1	0.76	0.35	0.023	0.019	1.72	0.37	0.78
18...	173	212	0	2.3	1.9	0.71	0.27	0.047	0.013	1.55	0.31	0.76
27...	152	185	0	2.4	2.5	0.17	0.28	0.031	0.022	2.15	0.32	0.20
JUN												
01...	168	205	0	3.4	2.8	0.98	0.31	0.060	0.018	2.37	0.37	1.0
16...	118	144	0	9.0	3.5	5.8	0.34	0.035	<0.010	--	0.37	5.8
24...	115	140	0	3.8	2.7	1.5	0.41	0.049	0.015	2.23	0.46	1.5
JUL												
07...	115	141	0	3.3	2.2	--	--	<0.020	<0.010	--	0.37	1.4
AUG												
31...	139	169	0	1.9	1.6	--	--	<0.020	<0.010	--	0.33	0.64

K--Results based on colony count outside the acceptable range (non-ideal colony count).
M--Results compromised due to contaminated bacteria media.

06934500 MISSOURI RIVER AT HERMANN, MO--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	NITROGEN, NO_2+NO_3 DISSOLVED (mg/L as N) (00631)	PHOSPHATE, ORTHO, DISSOLVED (mg/L as PO_4) (00660)	PHOSPHORUS TOTAL (mg/L as P) (00665)	PHOSPHORUS DISSOLVED (mg/L as P) (00666)	PHOSPHORUS ORTHO, DISSOLVED (mg/L as P) (00671)	CARBON, ORGANIC DISSOLVED (mg/L as C) (00681)	CARBON, ORGANIC SUSPENDED TOTAL (mg/L as C) (00689)	HARDNESS TOTAL (mg/L as $CaCO_3$) (00900)	HARDNESS NONCARB DISSOLV FLD. as $CaCO_3$ (mg/L) (00904)	HARDNESS NONCARB DISSOLV LAB as $CaCO_3$ (mg/L) (00905)	CALCIUM DISSOLVED (mg/L as Ca) (00915)	MAGNESIUM, DISSOLVED (mg/L as Mg) (00925)
OCT												
15...	0.419	0.18	0.191	0.054	0.059	3.0	1.8	230	96	81	58	22
DEC												
02...	0.868	0.25	0.070	0.071	0.080	3.5	1.6	250	85	88	63	22
JAN												
21...	1.14	0.14	0.136	0.075	0.047	3.4	0.30	230	62	53	61	18
FEB												
10...	1.42	0.29	0.468	0.093	0.094	4.6	4.6	230	72	62	60	18
MAR												
16...	1.28	0.18	0.174	0.051	0.060	3.8	1.7	200	59	50	55	16
APR												
01...	1.66	0.24	0.745	0.103	0.078	4.2	7.7	170	48	41	46	13
20...	2.02	0.28	0.410	0.091	0.092	5.8	6.3	220	64	63	59	17
MAY												
04...	1.74	0.21	0.239	0.056	0.068	4.3	1.8	190	44	54	53	15
18...	1.56	0.24	0.183	0.057	0.078	3.6	2.1	260	84	79	67	22
27...	2.17	0.28	0.087	0.088	0.090	4.2	2.2	240	93	79	62	21
JUN												
01...	2.39	0.35	0.370	0.096	0.115	4.1	5.2	240	71	72	62	20
16...	3.17	0.33	2.15	0.156	0.109	4.5	>10	160	44	40	43	13
24...	2.25	0.33	0.529	0.090	0.106	4.8	>10	140	26	29	38	11
JUL												
07...	1.84	0.29	0.534	0.091	0.094	4.9	6.4	170	58	43	47	13
AUG												
31...	1.29	0.41	0.283	0.135	0.135	4.6	3.2	180	45	39	47	16

DATE	SODIUM, DISSOLVED (mg/L as Na) (00930)	SODIUM ADSORPTION RATIO (00931)	SODIUM PERCENT (00932)	POTASSIUM, DISSOLVED (mg/L as K) (00935)	CHLORIDE, DISSOLVED (mg/L as Cl) (00940)	SULFATE DISSOLVED (mg/L as SO_4) (00945)	FLUORIDE, DISSOLVED (mg/L as F) (00950)	SILICA, DISSOLVED (mg/L as SiO_2) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DISSOLVED (mg/L) (70300)	SOLIDS, SUM OF CONSTITUENTS, DISSOLVED (mg/L) (70301)	SOLIDS, DISSOLVED (TONS PER DAY) (70302)	SED. SUSP. SIEVE DIAM. % FINER THAN 0.062 mm (70331)
OCT												
15...	68	2	38	6.1	16	210	0.41	8.6	490	472	130000	69
DEC												
02...	67	2	36	6.2	19	190	0.40	11	477	481	153000	49
JAN												
21...	40	1	27	5.2	19	110	0.36	11	385	371	76300	48
FEB												
10...	46	1	30	5.9	24	120	0.37	13	406	391	69700	78
MAR												
16...	35	1	27	4.9	20	100	0.29	10	318	335	89300	32
APR												
01...	25	0.8	24	4.6	14	72	0.28	10	283	268	171000	81
20...	26	0.8	20	5.6	18	87	0.28	11	336	324	145000	77
MAY												
04...	25	0.8	21	4.7	15	83	0.26	8.7	317	303	128000	69
18...	42	1	26	5.9	22	140	0.36	8.2	441	417	101000	68
27...	45	1	28	6.6	19	140	0.43	9.9	427	407	133000	86
JUN												
01...	42	1	27	6.1	20	130	0.38	10	414	403	96600	89
16...	26	0.9	25	5.7	11	75	0.32	9.9	285	270	126000	92
24...	17	0.6	20	5.5	9.6	53	0.26	10	241	225	146000	78
JUL												
07...	25	0.8	23	5.5	14	75	0.33	11	291	270	125000	88
AUG												
31...	37	1	30	6.1	17	100	0.34	11	355	329	83200	82

06934500 MISSOURI RIVER AT HERMANN, MO--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	SEDIMENT, SUSPENDED (mg/L) (80154)	ALUMINUM, DISSOLVED (µg/L as Al) (01106)	ANTIMONY, DISSOLVED (µg/L as Sb) (01095)	ARSENIC DISSOLVED (µg/L as As) (01000)	BARIUM, DISSOLVED (µg/L as Ba) (01005)	BERYLLIUM, DISSOLVED (µg/L as Be) (01010)	BORON, DISSOLVED (µg/L as B) (01020)	CADMIUM DISSOLVED (µg/L as Cd) (01025)	IRON, DISSOLVED (µg/L as Fe) (01046)	CHROMIUM, DISSOLVED (µg/L as Cr) (01030)	COBALT, DISSOLVED (µg/L as Co) (01035)	COPPER, DISSOLVED (µg/L as Cu) (01040)
OCT												
15...	301	2.1	<1.0	2	66	<1.0	112	<1.0	<3.0	2.2	<1.0	2.1
DEC												
02...	526	1.8	<1.0	2	73	<1.0	112	<1.0	<3.0	1.4	<1.0	1.8
JAN												
21...	189	1.4	<1.0	1	85	<1.0	65	<1.0	<10	3.1	<1.0	1.4
FEB												
10...	555	28	<1.0	2	80	<1.0	74	<1.0	22	2.9	<1.0	2.0
MAR												
16...	579	19	<1.0	1	90	<1.0	58	<1.0	13	1.5	<1.0	1.9
APR												
01...	1360	2.7	<1.0	2	83	<1.0	48	<1.0	<10	2.3	<1.0	1.6
20...	854	1.2	<1.0	2	111	<1.0	48	<1.0	<10	2.7	<1.0	1.9
MAY												
04...	578	27	<1.0	2	96	<1.0	45	<1.0	39	2.0	<1.0	1.8
18...	192	3.6	<1.0	2	115	<1.0	72	<1.0	<10	2.1	<1.0	2.1
27...	715	12	<1.0	2	109	<1.0	83	<1.0	12	2.0	<1.0	2.5
JUN												
01...	642	3.8	<1.0	2	111	<1.0	76	<1.0	<10	2.4	<1.0	2.2
16...	3097	2.5	<1.0	2	89	<1.0	54	<1.0	<10	2.0	<1.0	2.2
24...	1490	44	<1.0	2	97	<1.0	40	<1.0	41	1.2	<1.0	2.3
JUL												
07...	1250	15	<1.0	2	113	<1.0	55	<1.0	24	1.6	<1.0	2.3
AUG												
31...	426	23	<1.0	3	105	<1.0	75	<1.0	42	1.5	<1.0	2.3

DATE	LITHIUM DISSOLVED (µg/L as Li) (01130)	LEAD, DISSOLVED (µg/L as Pb) (01049)	MANGANESE, DISSOLVED (µg/L as Mn) (01056)	MOLYBDENUM, DISSOLVED (µg/L as Mo) (01060)	NICKEL, DISSOLVED (µg/L as Ni) (01065)	SILVER, DISSOLVED (µg/L as Ag) (01075)	STRONTIUM, DISSOLVED (µg/L as Sr) (01080)	URANIUM NATURAL DISSOLVED (µg/L as U) (22703)	VANADIUM, DISSOLVED (µg/L as V) (01085)	ZINC, DISSOLVED (µg/L as Zn) (01090)	2,6-DIETHYL ANILINE WAT FLT 0.7 µ GF, REC (µg/L) (82660)	ACETOCHLOR, WATER FLTRD REC (µg/L) (49260)
OCT												
15...	48	<1.0	<1.0	3.4	2.1	<1.0	504	4.0	<6	<1.0	<0.003	E0.003
DEC												
02...	43	<1.0	2.9	2.9	2.0	<1.0	523	4.5	<6	<1.0	<0.003	0.004
JAN												
21...	25	<1.0	7.5	2.0	1.8	<1.0	417	3.3	<10	3.1	<0.003	0.008
FEB												
10...	27	<1.0	2.1	2.6	2.8	<1.0	462	4.4	<10	4.7	<0.003	0.005
MAR												
16...	23	<1.0	4.2	2.0	2.4	<1.0	329	3.2	<10	14	<0.003	0.004
APR												
01...	13	<1.0	<1.0	1.9	2.1	<1.0	297	2.7	<10	1.1	<0.003	0.006
20...	18	<1.0	<1.0	2.4	2.1	<1.0	345	4.2	<10	1.3	<0.003	0.009
MAY												
04...	17	<1.0	4.2	2.0	2.1	<1.0	293	3.3	<10	4.9	<0.003	0.431
18...	30	<1.0	<1.0	3.2	2.0	<1.0	444	4.9	<10	5.7	<0.003	0.120
27...	31	<1.0	<1.0	3.4	2.6	<1.0	447	4.7	<10	1.9	<0.003	0.897
JUN												
01...	29	<1.0	<1.0	3.3	2.4	<1.0	428	4.7	<10	2.1	<0.003	0.665
16...	18	<1.0	<1.0	2.7	2.4	<1.0	289	2.4	<10	<1.0	<0.003	0.558
24...	12	<1.0	2.0	2.0	2.2	<1.0	219	2.2	<10	1.7	<0.003	0.169
JUL												
07...	17	<1.0	1.5	2.7	2.2	<1.0	272	2.9	<10	1.8	<0.003	0.035
AUG												
31...	25	<1.0	3.0	3.7	2.2	<1.0	339	2.9	<10	1.3	<0.003	0.009

E--Laboratory estimated value.

06934500 MISSOURI RIVER AT HERMANN, MO--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	ALA-CHLOR, WATER, DISS, REC, (µg/L) (46342)	ATRA-ZINE, WATER, DISS, REC (µg/L) (39632)	METHYL AZIN-PHOS WAT FLT 0.7 µ GF, REC (µg/L) (82686)	BEN-FLUR-ALIN WAT FLD 0.7 µ GF, REC (µg/L) (82673)	BUTYL-ATE, WATER, DISS, REC (µg/L) (04028)	CAR-BARYL WATER FLTRD 0.7 µ GF, REC (µg/L) (82680)	CARBO-FURAN WATER FLTRD 0.7 µ GF, REC (µg/L) (82674)	CHLOR-PYRIFOS DIS-SOLVED (µg/L) (38933)	CYANA-ZINE, WATER, DISS, REC (µg/L) (04041)	DCPA WATER FLTRD 0.7 µ GF, REC (µg/L) (82682)	DEETHYL ATRA-ZINE, WATER, DISS, REC (µg/L) (04040)	DI-AZINON, DIS-SOLVED (µg/L) (39572)
OCT												
15...	<0.002	0.069	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.008	<0.002	E0.007	<0.002
DEC												
02...	0.006	0.064	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	<0.004	<0.002	E0.004	<0.002
JAN												
21...	0.008	0.272	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	<0.004	<0.002	E0.006	<0.002
FEB												
10...	0.005	0.123	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.011	<0.002	E0.013	<0.002
MAR												
16...	<0.002	0.126	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.014	<0.002	E0.014	<0.002
APR												
01...	0.005	0.134	<0.001	<0.002	<0.002	E0.003	<0.003	<0.004	0.017	<0.002	E0.011	0.004
20...	0.006	0.180	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.018	<0.002	E0.029	E0.003
MAY												
04...	0.040	2.67	<0.001	<0.002	<0.002	<0.003	<0.003	<0.020	0.482	<0.002	E0.046	<0.002
18...	0.015	0.890	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.039	<0.002	E0.007	0.014
27...	0.086	3.94	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	1.10	<0.002	E0.154	<0.002
JUN												
01...	0.077	4.23	<0.025	<0.002	<0.002	<0.003	<0.003	<0.004	0.420	<0.002	E0.041	<0.002
16...	0.296	7.40	<0.001	<0.002	<0.002	<0.003	E0.012	<0.020	0.528	<0.002	E0.083	E0.004
24...	0.063	3.16	<0.001	<0.002	<0.002	E0.006	E0.011	<0.004	0.142	<0.002	E0.062	<0.002
JUL												
07...	0.046	0.966	<0.001	<0.002	<0.002	<0.003	<0.003	<0.004	0.101	<0.002	E0.108	<0.002
AUG												
31...	0.007	0.284	<0.001	<0.002	<0.002	<0.003	<0.010	<0.004	0.009	E0.0012	E0.010	E0.003

DATE	DI-ELDRIN DIS-SOLVED (µg/L) (39381)	DISUL-FOTON WATER FLTRD 0.7 µ GF, REC (µg/L) (82677)	EPTC WATER FLTRD 0.7 µ GF, REC (µg/L) (82668)	ETHAL-FLUR-ALIN WAT FLT 0.7 µ GF, REC (µg/L) (82663)	ETHO-PROP WATER FLTRD 0.7 µ GF, REC (µg/L) (82672)	FONOFOS WATER DISS REC (µg/L) (04095)	LINDANE DIS-SOLVED (µg/L) (39341)	LIN-URON WATER FLTRD 0.7 µ GF, REC (µg/L) (82666)	MALA-THION, DIS-SOLVED (µg/L) (39532)	METO-LACHLOR WATER DISSOLV (µg/L) (39415)	METRI-BUZIN SENCOR WATER DISSOLV (µg/L) (82630)
OCT											
15...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.023	<0.004
DEC											
02...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.060	<0.004
JAN											
21...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.116	<0.004
FEB											
10...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.122	<0.004
MAR											
16...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.062	<0.004
APR											
01...	<0.001	<0.017	E0.004	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.057	<0.004
20...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.083	0.007
MAY											
04...	<0.001	<0.017	0.004	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.910	<0.004
18...	<0.001	<0.017	E0.003	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.332	<0.004
27...	<0.001	<0.017	E0.001	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	1.31	0.028
JUN											
01...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	1.81	0.013
16...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	3.01	0.033
24...	<0.001	<0.017	E0.001	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	1.12	0.019
JUL											
07...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.425	0.015
AUG											
31...	<0.001	<0.017	<0.002	<0.004	<0.003	<0.003	<0.004	<0.002	<0.005	0.126	<0.004

E--Laboratory estimated value.

06934500 MISSOURI RIVER AT HERMANN, MO--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	MOL-INATE WATER FLTRD 0.7 µ GF, REC (µg/L) (82671)	NAPROP-AMIDE WATER FLTRD 0.7 µ GF, REC (µg/L) (82684)	PARA-THION, DIS-SOLVED (µg/L) (39542)	METHYL PARA-THION WAT FLT 0.7 µ GF, REC (µg/L) (82667)	PEB-ULATE WATER FILTRD 0.7 µ GF, REC (µg/L) (82669)	PENDI-METH-ALIN WAT FLT 0.7 µ GF, REC (µg/L) (82683)	PHORATE WATER FLTRD 0.7 µ GF, REC (µg/L) (82664)	PRO-METON, WATER, DISS, REC (µg/L) (04037)	PROP-CHLOR, WATER, DISS, REC (µg/L) (04024)	PRO-PANIL WATER FLTRD 0.7 µ GF, REC (µg/L) (82679)	PRO-PARGITE WATER FLTRD 0.7 µ GF, REC (µg/L) (82685)
OCT											
15...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.004	<0.007	<0.004	<0.013
DEC											
02...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.005	<0.007	<0.004	<0.013
JAN											
21...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.006	<0.007	<0.004	<0.013
FEB											
10...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.003	<0.007	<0.004	<0.013
MAR											
16...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	<0.018	<0.007	<0.004	<0.013
APR											
01...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.005	<0.007	<0.004	<0.013
20...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.010	<0.007	<0.004	<0.013
MAY											
04...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	<0.018	<0.007	<0.004	<0.013
18...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.008	<0.007	<0.004	<0.013
27...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.009	<0.007	<0.004	<0.013
JUN											
01...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.011	<0.007	<0.004	<0.013
16...	<0.004	<0.003	<0.004	<0.006	<0.004	0.023	<0.002	E0.015	0.011	<0.004	<0.013
24...	<0.004	<0.003	<0.004	<0.006	<0.004	0.016	<0.002	E0.013	<0.007	<0.004	<0.013
JUL											
07...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.010	<0.007	<0.004	<0.013
AUG											
31...	<0.004	<0.003	<0.004	<0.006	<0.004	<0.004	<0.002	E0.013	<0.007	<0.004	<0.013

DATE	PRON-AMIDE WATER FLTRD 0.7 µ GF, REC (µg/L) (82676)	SI-MAZINE, WATER, DISS, REC (µg/L) (04035)	TEBU-THIURON WATER FLTRD 0.7 µ GF, REC (µg/L) (82670)	TER-BACIL WATER FLTRD 0.7 µ GF, REC (µg/L) (82665)	TER-BUFOS WATER FLTRD 0.7 µ GF, REC (µg/L) (82675)	THIO-BENCARB WATER FLTRD 0.7 µ GF, REC (µg/L) (82681)	TRIAL-LATE WATER FLTRD 0.7 µ GF, REC (µg/L) (82678)	TRI-FLUR-ALIN WAT FLT 0.7 µ GF, REC (µg/L) (82661)	ALPHA BHC DIS-SOLVED (µg/L) (34253)	PER-METHRIN CIS WAT FLT 0.7 µ GF, REC (µg/L) (82687)	P,P' DDE DISSOLV (µg/L) (34653)
OCT											
15...	<0.003	<0.005	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
DEC											
02...	<0.003	<0.005	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
JAN											
21...	<0.003	<0.005	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
FEB											
10...	<0.003	E0.004	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
MAR											
16...	<0.003	E0.003	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
APR											
01...	<0.003	0.011	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
20...	<0.003	0.009	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
MAY											
04...	<0.003	0.022	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
18...	<0.003	0.007	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
27...	<0.003	0.039	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
JUN											
01...	<0.003	0.036	<0.010	<0.007	<0.013	<0.002	<0.001	0.004	<0.002	<0.005	E0.001
16...	<0.003	0.024	<0.010	<0.007	<0.013	<0.002	<0.001	0.013	<0.002	<0.005	<0.006
24...	<0.003	0.014	E0.005	<0.007	<0.013	<0.002	<0.001	0.004	<0.002	<0.005	<0.006
JUL											
07...	<0.003	0.013	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006
AUG											
31...	<0.003	<0.005	<0.010	<0.007	<0.013	<0.002	<0.001	<0.002	<0.002	<0.005	<0.006

E--Laboratory estimated value.